

Get a Quote

## Overview

TP-Link LS1008G, 8\*10/100/1000Mbps Auto-Negotiation RJ45 port, supporting Auto-MDI/MDIX



## Let **LiteWave** Bring You Lighter Network Life

The TP-Link LiteWave Series Unmanaged Switches provide easy and affordable way to expand your wired network. They are easy to use and reliable. With these plug-and-play switches, you can expand your network connections to multiple devices instantly. With all ports support Auto-MDI/MDIX, there's no need to worry about the type of cable to use.



Plug & Play



Gigabit Ethernet




Fanless




Green Tech

# Plug and Play

## 1 Connect to Power



## 2 Connect The Devices



## 3 Enjoy




## Go Green with Your Ethernet

The LiteWave Series also supports energy-efficient technology, helping you save power and money. Power consumption automatically adjusts according to link status and cable length, allowing you to expand your network while minimizing your carbon footprint. Save the planet and lower your energy bills — it's a win-win!




## Gigabit Ports For Faster Speeds

Increase the speed of your network with the LS1008G 8-port Gigabit desktop switch. Non-blocking, 8x 10/100/1000Mbps ports enable instant transferring of large, bandwidth intensive files without interference.



# Use Where You Need, However You Need

The LS1008G is fully compatible with networked devices such as computers, printers, webcams, IPTVs. It has a wide range of application scenarios and is suitable for networking in school dormitories, surveillance, homes, and small businesses.



School dormitory

Surveillance

Home

Small business

## Get more information

Do you have any question about the TP-Link 8-Port 10/100/1000Mbps Desktop Switch (LS1008G)?

Contact us now via [Live Chat](#) or [sales@router-switch.com](mailto:sales@router-switch.com)

## Specification

TP-Link 8-Port 10/100/1000Mbps Desktop Switch (LS1008G) Specification	
<b>Hardware Features</b>	
Standards and Protocols	IEEE 802.3i/802.3u/ 802.3ab/802.3x
Interface	8× 10/100/1000Mbps, Auto-Negotiation, Auto-MDI/MDIX Ports
Fan Quantity	Fanless
External Power Supply	External Power Adapter (Output: 5VDC / 0.6A)
Dimensions ( W x D x H )	5.0 × 2.6 × 0.9 in. (127 × 66.5 × 23 mm)
Max Power Consumption	2.7W
Max Heat Dissipation	13.3 BTU/h
<b>Performance</b>	
Switching Capacity	16 Gbps
Packet Forwarding Rate	11.9 Mpps
MAC Address Table	4K
Packet Buffer Memory	1.5 Mb
Jumbo Frame	16 KB
<b>Software Features</b>	

<b>Advanced Features</b>	Green Technology 802.3X Flow Control Back Pressure
<b>Transfer Method</b>	Store and Forward
<b>Others</b>	
<b>Certification</b>	CE, FCC, RoHS
<b>Package Contents</b>	8-Port 10/100/1000Mbps Desktop Switch Power Adapter Installation Guide
<b>Environment</b>	Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40 ~60 (-40 ~140 ) Operating Humidity: 10% ~ 90% non-condensing Storage Humidity: 5%~90% non-condensing

## Want to Buy

[Order Now](#)
[Get a Quote](#)

## Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

## Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: [sales@router-switch.com](mailto:sales@router-switch.com)